

36. 11-05-2009 08:57:29

Roatan


Information from dive computer

Dive no.	36	DC Dive no.	10	Sampling Rate	1 sec
Start time	11-05-2009 08:57:29	Surface Interval	02:20:00	Altitude mode	A0
End time	11-05-2009 09:48:29	ID no.	72101106	Personal settings	P0
Dive time	00:51:00	Model	D6	Dive type	Nitrox
Max depth	21.5 m	Personal info	knuspar@knuspar.dk	Alarms Recorded	7
Oxygen Percent	21% 40%			OLF	6 %


Weather	Clear Sky / Night	Temperatures		Buddy	Thomas Handberg
Visibility	~20 M	Start of dive	28 °C	Boat name	Cocoview IV
Weight used	7 kg	Max depth	27 °C	Dive Master	Kirk
		End of dive	27 °C	Custom 1	
Dive gear	Canon G10 + UW Housing, Mares Evolution 5mm shorty, Rented BCD, Rented Regulator+Octopus			Custom 2	
				Custom 3	
				Custom 4	
				Custom 5	

Cylinders


Cylinder size	Oxygen Percent	Start	End	Average depth	SAC Rate	Gas used Pressure used	Gas used Rate used	Gas used Volume gas used
12 liters	21%	0 bar	0 bar	12,5 m	0 SLM	0 bar	0 bar/min	0 liters



Tissue saturation on start



Tissue saturation on end



Notes